

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((cryptography engine) and (data block) and portion and (key scheduler) and sequence and (inverse) and permutat\$4 and (combin\$4 or "xor")).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/24 10:19
S1	72	(comparing adj device) with input adj4 output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:23
S2	72	unique adj factory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 11:58
S3	8	(unique adj factory) with (key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 11:59
S4	6	((unique adj factory) with (key)) and @ad < "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 13:51
S5	40	factory adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 12:12
S6	29	(factory adj key) and @ad < "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 08:54
S7	15	((factory adj key) and @ad < "19991029") and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 12:26
S8	1	(electric adj component) with (enabled adj3 manufactur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 12:36

EAST Search History

S9	552	(electric adj component) with (manufactur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 12:37
S10	366	((manufactur\$3 or design\$2 with key) same computer or laptop or host) same cryptography	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 12:43
S11	179	((((manufactur\$3 or design\$2 with key) same computer or laptop or host) same cryptography) and @ad < "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 13:48
S15	17	(gate\$1 with operator) and (cryptography)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 16:15
S16	24	(memory or rom or eeprom or eprom) with (cryptography near4 algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/21 16:18
S17	7	((memory or rom or eeprom or eprom) with (cryptography near4 algorithm)) and @ad < "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 15:46
S18	755	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 08:54
S19	360	713/193.ccls. and @ad < "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 08:58
S20	97	713/191.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 08:57
S21	360	(713/193.ccls. and @ad < "19991029") and @ad < "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 08:58

EAST Search History

S22	54	713/191.ccls. and @ad < "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 09:04
S23	53	713/191.ccls. and @ad < "19990729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 10:31
S24	53	713/191.ccls. and @ad < "19990729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:33
S25	2	(713/191.ccls. and @ad < "19990729") and multiplexer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 11:47
S32	76	(((((multiplexer same compar\$3) same (select\$3 or switch\$3)) same circuit) same (preselect\$3 or predetermin\$3)) same bit\$1) and @ad < "19990729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:41
S33	1	"6745327"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:13
S34	76	(((((multiplexer same compar\$3) same (select\$3 or switch\$3)) same circuit) same (preselect\$3 or predetermin\$3)) same bit\$1) and @ad < "19990729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:50
S36	76	(((((multiplexer same compar\$3) same (select\$3 or switch\$3)) same circuit) same (preselect\$3 or predetermin\$3)) same bit\$1) and @ad < "19990729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 12:53
S37	7	"5771287"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:32
S40	30	((multiplexer same resistor\$1) same switch) same (voltage adj supply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:33

EAST Search History

S41	25	((multiplexer same resistor\$1) same switch) same (voltage adj supply)) and @ad < "19990729"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:34
S47	3	(upgrad\$3 or enabl\$3) with (featur\$2 or option\$2 or functionality) with ((memory or device or client or computer or server) near6 (key and (identification or "serial number"))) and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:00
S51	0	(transmit\$4 or send\$3 or request\$3 or receiv\$4) with "manufacturers key" and 713/202.ccls. and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 19:26
S52	16	(transmit\$4 or send\$3 or request\$3 or receiv\$4) with "manufacturers key" and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 19:53
S56	0	(host or device or server) with (communicat\$3 or transmit\$4 or send\$3 or request\$3 or receiv\$4) with "manufacturers key" and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 19:55
S57	1	(host or device or server or user) with (communicat\$3 or transmit\$4 or send\$3 or request\$3 or receiv\$4) with "manufacturers key" and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 19:59
S59	1	(host or device or server or user or computer) with (communicat\$3 or transmit\$4 or send\$3 or request\$3 or receiv\$4) with ("manufacturers key") and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 20:01
S60	29	(host or device or server or user or computer) with (communicat\$3 or transmit\$4 or send\$3 or request\$3 or receiv\$4) with (manufacturers near2 key) and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 07:24
S62	0	host near6 (request\$4 or transmit\$3) near6 manufact\$4 near3 key and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:04

EAST Search History

S63	1	(host or server or computer) near6 (request\$4 or transmit\$3) near6 manufact\$4 near3 key and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:07
S64	153	((user or client) near4 (request\$3 near4 (host or server or computer) near6 key)) near6 ((host or server or computer) near6 (request\$4 or transmit\$3)) near6 key and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:11
S65	129	((user or client) near4 (request\$3 near4 (host or server or computer) near6 key)) near6 (((host or server or computer) near6 (request\$4 or transmit\$3)) near6 key) and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:16
S69	0	((user or client) near4 (request\$3 near4 (host or server or computer) near6 key)) near6 (((host or server or computer)) near8 manufactu\$4 near9 key) and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:18
S70	97	(transmit\$3 or send\$3 or receiv\$3) near8 (manufactu\$4 near3 key) and @ad <= "19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 08:20
S73	31	((encrypted or enciphered or ciphered or scrambled) near3 (key or content or data or string or text) near4 (stor\$4) near6 (nonvolatile or non\$1volatile or "Read-Only Memory" or read\$1only or "ROM" or "PROM" or "EPROM" or "EEPROM" or "secure memory")) same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:00
S74	32	((encrypted or enciphered or ciphered or scrambled) near3 (key or unique or identification or identifier or "PIN" or "personal Identification") near4 (stor\$4) near6 (nonvolatile or non\$1volatile or "Read-Only Memory" or read\$1only or "ROM" or "PROM" or "EPROM" or "EEPROM" or "secure memory")) same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:02
S75	298	multiplex near2 connecting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/12 13:29

EAST Search History

S76	2	"5771287".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/15 13:13
S77	2	"6463537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/15 13:14
S78	2	"5509070".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/15 15:12
S81	1	mano and gate and compar\$4 and (figure "7")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/15 15:14
S82	190	mano and gate and compar\$4 and (multiplexer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/16 09:07
S87	2	"6490684".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 06:57
S93	1	search\$6 same (manufactur\$5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:02
S94	57	determin\$6 same (manufactur\$5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:02
S95	14	determin\$6 near15 (manufactur\$5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:11
S96	39	(transmit\$6 or send\$4) near15 (manufactur\$5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:11

EAST Search History

S97	2	(transmit\$6 or send\$4) near15 (manufactur\$5 key) near15 (request or inquir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:18
S98	0	(database) near15 (manufactur\$5 key) near15 (request or inquir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:18
S99	0	(data base) near15 (manufactur\$5 key) near15 (request or inquir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:18
S10 0	0	(data base) same (manufactur\$5 key) near15 (request or inquir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:19
S10 1	1	(list) same (manufactur\$5 key) near15 (request or inquir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:19
S10 2	7	(list) same (manufactur\$5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:20
S10 3	5	(search\$4) near9 (enabl\$4 near2 key) near9 (request or inquir\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:23
S10 6	3	(search\$4) near9 (key) near9 (request or inquir\$4) and (manufactur\$5 near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:24
S10 7	112	(search\$4) near9 (key) near9 (request or inquir\$4) near9 (transmit\$4 or send\$4 or provid\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 07:38
S10 8	12	"96" bit register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 08:01

EAST Search History

S11 2	5	"32" bit identification near9 register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:47
S11 3	132	726/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:50
S11 4	274	726/27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/17 11:50
S11 5	1	("6463537").pn. and (public key) same stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:48
S11 7	2	"7063008"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:19
S11 8	2	"7063008".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 16:20
S12 1	2	((cryptography engine) and (data block) and portion and (key scheduler) and sequence and (inverse)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/24 10:18

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

data encryption standard and inverter

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about **104,000** for **data encryption standard and inverter**. (0.23 seconds)[\[PDF\] A single-chip FPGA implementation of the data encryption standard ...](#)

File Format: PDF/Adobe Acrobat

this used three FPGA devices[4]. The **Data Encryption Standard** ... logic design of the S-boxes uses and **inverter**. stage and three cascaded stages ...ieeexplore.ieee.org/iel5/6295/16835/00776849.pdf - [Similar pages](#)[\[PDF\] Security and performance optimization of a new DES data encryption ...](#)

File Format: PDF/Adobe Acrobat

A classical algorithm, like the **Data Encryption Standard**. (DES) [1], protects data in two ... clocks always have to be followed by a refreshing **inverter**." ...ieeexplore.ieee.org/iel1/4/16/00000302.pdf?arnumber=302 - [Similar pages](#)[\[More results from ieeexplore.ieee.org \]](#)[\[PDF\] Security and performance optimization of a new DES data encryption ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)counterparts. A classical algorithm, like the **Data Encryption Standard** ... **inverter** may drive a maximal capacitive load of 500 fF." These capacitive ...www.emsec.ee.ucla.edu/pdf/1988jssc.pdf - [Similar pages](#)[\[PDF\] DIFFERENTIAL FAULT ANALYSIS ATTACK RESISTANT ARCHITECTURES FOR THE ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Advanced **Encryption Standard**; Differential Fault Analysis. 1. INTRODUCTION ... The probability that an error in the **inverter** will be missed is equal to the ...reliable.bu.edu/Projects/cardis_04.pdf - [Similar pages](#)[Amazon.com: "hardware inverter": Key Phrase page](#)Key Phrase page for hardware **inverter**: Books containing the phrase hardware ... Algorithm Submission, Computer Security Press, **Data Encryption Standard**, ...www.amazon.com/phrase/hardware-inverter - 54k - [Cached](#) - [Similar pages](#)[\[PDF\] Investigation of Compact Hardware Implementation of the Advanced ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Advanced **Encryption Standard** (AES) in November 2001. [1], AES has been accepted as the popular means to encrypt sensitive commercial and government data. ...www.engr.mun.ca/~howard/PAPERS/ccece_2005a.pdf - [Similar pages](#)[EDN's 2005 Microprocessor Directory - Company Detail - Fujitsu ...](#)**Inverter** equipment inputs a dc that the system changes into ac. ... the AES (Advanced **Data Encryption Standard**), DES (**Data Encryption Standard**), and 3DES. ...

www.edn.com/index.asp?layout=microprocessorsComp&year=2005&order=20 - 15k -

[Cached](#) - [Similar pages](#)[On-demand design service innovations](#)Our **Data Encryption Standard** (DES) [8] macro was integrated into the PowerPC ... The **inverter** has a nested structure, and the arithmetic logic is highly ...www.research.ibm.com/journal/rd/485/shimizu.html - 80k - [Cached](#) - [Similar pages](#)[\[PDF\] Design and evaluation of basic standard encryption algorithm ...](#)

File Format: PDF/Adobe Acrobat

implemented in CMOL technology by using only an **inverter**. and four molecules, i.e. only one ... [20] **Data Encryption Standard** (DES) 1993 Federal Information ...
www.iop.org/EJ/article/0957-4484/17/1/015/nano6_1_015.pdf - [Similar pages](#)

Hack-proof DESIGN:EDNAsia.com: Voice of the electronics engineer

The longer the key, the more secure the encrypted **data**. IPsec (Internet Protocol Security), another **encryption standard**, implements security at the network ...
www.ednasia.com/article-8814-hackproofdesign-Asia.html - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google